EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	48	(US-20030046583-$ or US-20050125520-$ or US-20040218582-$ or US-20030076829-$ or US-20030163729-$ or US-20040059812-$ or US-20050050377-$ or US-20040081166-$ or US-20040044891-$ or US-20030097588-$ or US-20060031439-$ or US-20040117624-$).did. or (US-6990080-$ or US-6205117-$ or US-6859463-$ or US-6061735-$ or US-6763013-$ or US-6697325-$ or US-7152105-$ or US-7080141-$ or US-7035933-$ or US-6954449-$ or US-7013395-$).did. or (EP-427228-$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 11:21
S2	1	S1 and (gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 11:21
S3	153	@ad<"20031203" and "709"/$3.ccls. and gaussian	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 11:21
S4	1	@ad<"20031203" and 709/204.ccls. and gaussian	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 11:22
S7	0	@ad<"20031203" and (gaussian adj distribution) with (graph or node or cluster) with topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:29
S8	0	@ad<"20031203" and (gaussian adj distribut$4) with (graph or node or cluster) with topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:29
S9	1	@ad<"20031203" and (gaussian adj distribut$4) with topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:29

EAST Search History

S10	266	@ad<"20031203" and (gaussian adj distribution) with (graph or node or cluster)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:30
S11	2	@ad<"20031203" and (gaussian adj distribution) with (graph or node or cluster) and "709"/$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:31
S12	9	@ad<"20031203" and (gaussian adj distribution) with (graph or node or cluster) and topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:37
S13	159	@ad<"20031203" and ((topology or graph) near5 (distribut$5 or evolv$5 or trend$5) near5 gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:38
S14	15	@ad<"20031203" and ((topology or graph or distribut$5) near5 (evolv$5 or trend$5) near5 gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:40
S16	1	@ad<"20031203" and ("709"/$3. ccls. and (evolv$5 or trend$5) near5 gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:40
S17	1	(@ad<"20031203" or @rlad<"20031203") and ("709"/$3. ccls. and (evolv$5 or trend$5) near5 gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:40
S18	1	(@ad<"20031203" or @rlad<"20031203") and ("709"/$3. ccls. and (evolv$5 or trend$5) near5 gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:40
S20	1	(@ad<"20041203" or @rlad<"20031203") and ("709"/$3. ccls. and (evolv$5 or trend$5) near5 gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:40
S21	68	(@ad<="20031203" or @rlad<="20031203") and "709"/$3. ccls. and gaussian near5 distribut$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 13:11

EAST Search History

S22	344	(@ad<="20031203" or @rlad<="20031203") and "709"/$3. ccls. and ((gaussian or uniform) near3 distribut$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:41
S23	16	(@ad<="20031203" or @rlad<="20031203") and "709"/$3. ccls. and (topology near3 (tune or tuner or tuning or reccomend or reccomendation or rearrang$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:46
S24	77	(@ad<="20031203" or @rlad<="20031203") and "709"/$3. ccls. and (topology near3 (optimiz$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:45
S25	3	(@ad<="20031203" or @rlad<="20031203") and "709"/$3. ccls. and (topology near3 (optimiz$5 or tweak$5)) with (distribut$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:45
S26	5	(@ad<="20031203" or @rlad<="20031203") and "709"/$3. ccls. and (topology near3 (tune or tuner or tuning or reccomend or reccomendation or rearrang$5 or optimiz$5 or tweak$5)) with distribut$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 12:46

S27	43	(US-20060031439-$ or US-20050125520-$ or US-20050050377-$ or US-20040218582-$ or US-20040117624-$ or US-20040081166-$ or US-20040059812-$ or US-20040044891-$ or US-20030163729-$ or US-20030097588-$ or US-20030076829-$ or US-20030046583-$ or US-20030018637-$ or US-20040103211-$ or US-20040059789-$ or US-20020032765-$ or US-20020029268-$ or US-20050021590-$ or US-20010027479-$).did. or (US-7013395-$ or US-7152105-$ or US-7080141-$ or US-7035933-$ or US-6990080-$ or US-6763013-$ or US-6954449-$ or US-6859463-$ or US-6697325-$ or US-6205117-$ or US-6061735-$ or US-5839105-$ or US-6263334-$ or US-6601049-$ or US-6490571-$ or US-6975628-$ or US-6901453-$ or US-6760762-$ or US-6714217-$ or US-6640239-$ or US-6618752-$ or US-6374289-$ or US-7206289-$).did. or (EP-427228-$).did.	US-PGPUB; USPAT; EPO	AND	ON	2007/12/03 12:46
S28	9	S27 and (gaussian or gauss$5 or normal$5 or random$5 or uniform$5) near5 distribut$6	US-PGPUB; USPAT; EPO	AND	ON	2007/12/03 12:48
S29	3	(@ad<="20031203" or @rlad<="20031203") and "709"/$3. ccls. and (ad-hoc or adhoc or cluster) same gaussian	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 13:12
S30	30	(@ad<="20031203" or @rlad<="20031203") and "709"/$3. ccls. and (ad-hoc or adhoc or cluster) and gaussian	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 13:38
S31	68	(@ad<="20031203" or @rlad<="20031203") and "709"/$3. ccls. and (graph or topology or network or node or agent) near5 (uniform$3 or gaussian) near2 distribut$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:04

EAST Search History

S32	2215	(@ad<="20031203" or @rlad<="20031203") and (topology or node or agent) near3 (uniform$3 or gaussian) near2 distribut$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:04
S33	2082	(@ad<="20031203") and (topology or node or agent) near3 (uniform$3 or gaussian) near2 distribut$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:04
S34	122	(@ad<="20031203") and (topology or node) near2 (uniform$3 or gaussian) near2 distribut$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:15
S35	86	(@ad<="20031203") and (topology or node) near2 (uniform$3 or gaussian) near2 distribut$6 and ((uniform or gaussian) near4 distribu$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:24
S36	6	(@ad<="20031203") and "709"/$3. ccls. and (mak$5 or creat$5 or evolv$5 or form$5) near3 (uniform or uniformly or gaussian) near2 (distribut$5 or arrangement or topology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:38
S37	427	(@ad<="20031203") and "709"/$3. ccls. (uniform or uniformly or gaussian) near2 (distribut$5 or arrangement or topology)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:38
S38	0	(@ad<="20031203") and "709"/$3. ccls. (uniform or uniformly or gaussian) near2 (distribut$5 or arrangement) adj topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:38
S39	2	(@ad<="20031203") and "709"/$3. ccls. (uniform or uniformly or gaussian) near2 (distribut$5 or arrangement) near3 topology	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:39
S40	0	(@ad<="20031203") and "709"/$3. ccls. (uniform or uniformly or gaussian) near2 topology with (ad-hoc or adhoc or MANET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:40

EAST Search History

S41	0	(@ad<="20031203") and "709"/$3. ccls. (uniform or uniformly or gaussian) near2 (topology or distribut$6) with (ad-hoc or adhoc or MANET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:40
S42	0	(@ad<="20031203") and "709"/$3. ccls. (uniform or uniformly or gaussian) near5 (topology or distribut$6) with (ad-hoc or adhoc or MANET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:40
S43	0	(@ad<="20031203") and "709"/$3. ccls. (uniform or uniformly or gaussian) near5 (topology or distribut$6) same (ad-hoc or adhoc or MANET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:40
S44	0	(@ad<="20031203") and "709"/$3. ccls. and (uniform or uniformly or gaussian) near5 (topology or distribut$6) same (ad-hoc or adhoc or MANET)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 14:40
S46	52	(@ad<="20031203") and "709"/$3. ccls. and (uniform or uniformly or gaussian) near3 (topology or distribut$6) near3 (node or network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:07
S48	76	(@ad<="20031203") and "709"/$3. ccls. and (ideal or desire or desirable or preferrable or preferred) near4 (topology or ((network or node) adj distribut$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:33
S49	5	S48 and (gaussian or even$4 or uniform$5 or (bell adj curve)) adj distribut$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:15
S50	6	S48 and (gaussian or even$4 or uniform$5 or (bell adj curve)) near3 distribut$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:17
S54	598	(@ad<="20031203") and "709"/$3. ccls. and (ideal or desire or desirable or preferrable or preferred) near3 (topology or distribut$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:17
S56	24	S54 and (gaussian or evenly or even or uniform$5 or (bell adj curve)) near3 distribut$5 with (node or topology or graph or location)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:24

S57	226	(@ad<="20031203") and "709"/$3. ccls. and (MANET or "ad-hoc network")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:33
S58	102	(@ad<="20031203") and "709"/$3. ccls. and (MANET or "ad-hoc network") and (node or network) near3 distribut$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:34
S59	4	(@ad<="20031203") and "709"/$3. ccls. and (MANET or "ad-hoc network") and (node or network) near3 distribut$5 near4 (even or evenly or uniform$5 or gaussian)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:35
S60	64	(@ad<="20031203") and "709"/$3. ccls. and (MANET or "ad-hoc network") and (node or network) near3 location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:35
S61	2	(@ad<="20031203") and "709"/$3. ccls. and (MANET or "ad-hoc network") and (node or network) near3 location near3 (uniform$5 or distribut$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:52
S62	0	(@ad<="20031203") and "709"/$3. ccls. and (uniform$4 near3 (node or agent or topology) near3 density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:54
S63	5	(@ad<="20031203") and "709"/$3. ccls. and (uniform$4 adj density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 15:55
S64	8	(@ad<="20031203") and "709"/$3. ccls. and ((uniform$4 or constant or consistent) adj density)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 17:12
S65	4	hanson, james.in. and whalley, ian. in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 17:13
S66	1	("IBM".as. or "International Business Machines".as.) and (topology adj tun$5).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/12/03 17:13